



Tiger-Vac International Inc. Custom built catalog









Page 1	Electrically operated powerheads
Page 2	Pneumatically operated powerheads
Page 3	Filter assemblies
Page 4	Drum and cart assemblies
Page 5	Suction hose assemblies
Page 6	Air supply hoses assemblies
Page 7	Tools and accessories

For more information:

Tiger-Vac Inc. (USA) Tel.: (954) 925-3625 Fax.: (954) 925-3626	Tiger-Vac International Inc. Tel.: (450) 625-0099 & (450) 622-0100 Fax.: (450) 625-3388
Web: http://www.tiger-vac.com	






Tiger-Vac®

**CUSTOM BUILT INDUSTRIAL GRADE VACUUM CLEANER SYSTEMS
ELECTRICALLY OPERATED POWERHEADS
AVAILABLE HEPA FILTER EFFICIENCY OF 99.99% @ 0.3 MICRON
(WET & DRY RECOVERY)**









MODEL	PART#	DESCRIPTION
 ECO-55 (DRY ONLY)	210954	Powerhead model ECO-55(K), 120V, 2000 Watts, Dual Motor, dry only
	210956	Powerhead model ECO-55(G), 120V, 2400 Watts, Dual Motor, dry only
 ECO-55 (WET & DRY)	210958	Powerhead model ECO-55(K), 120V, 2000 Watts, Dual Motor, wet & dry, no Hepa
	210960	Powerhead model ECO-55(G), 120V, 2400 Watts, Dual Motor, wet & dry, no Hepa
	210962	Powerhead model ECO-55(K), 120V, 2000 Watts, Dual Motor, wet & dry, with Hepa filter
	210964	Powerhead model ECO-55(G), 120V, 2400 Watts, Dual Motor, wet & dry, with Hepa filter
 2D-12/27 STD HEPA (WET & DRY) 2D-55 TF STD HEPA (WET & DRY)	212030A	Powerhead model 2D-12/27 STD NO HEPA, wet & dry
	212031A	Powerhead model 2D-12/27 STD HEPA, wet & dry
	211890A	Powerhead model 2D-55 TF(A) STD NO HEPA, TOP FILL , 120V, wet & dry
	211891A	Powerhead model 2D-55 TF(A) STD HEPA, TOP FILL , 120V, wet & dry
 4D-56 TF STD HEPA (WET & DRY ONLY)	110949A	Powerhead model 4D-56(B)TF STD NO HEPA, TOP FILL with cloth filter Dry only
	110950A	Optional wet recovery (Floater #211463A, Floater Cage #211493, Gaskets #211214 & #211479 & Cloth Filter #212389) Powerhead model 4D-56(B)TF STD HEPA, TOP FILL with cloth filter, Dry only
 4D-57 TF RE HEPA (WET & DRY)	110952A	Powerhead model 4D-57(B)TF RE, TOP FILL , with external Hepas, with cloth filter, wet & dry
 BL-POWER UNIT	214204A	BL-Power Unit assembly, 120 Volts 50/60 Hz, 12.5 AMPS. 2 stage, 7.2" High performance with long life span (air seal bearing)
	214204B	BL-Power Unit assembly, 240 Volts 50/60 Hz, 6 AMPS. 2 stage, 183mm High performance with long life span (air seal bearing)
 BL-10/15/25 (WET & DRY)	214224A	Powerhead model BL-10/15/25 (No Hepa), 120 Volts 50/60 Hz, 12.5 AMPS. 2 stage, 7.2" High performance with long life span (air seal bearing)
	214224B	Powerhead model BL-10/15/25 (No Hepa), 240 Volts 50/60 Hz, 6 AMPS. 2 stage, 183mm High performance with long life span (air seal bearing) (Wet & dry recovery)
 BL-30/55 TF (WET & DRY)	214230A	Powerhead model BL-30 TF (No Hepa), TOP FILL , 120 Volts 50/60 Hz, 12.5 AMPS. 2 stage, 7.2" High performance with long life span (air seal bearing)
	214232A	Powerhead model BL-55 TF (No Hepa), TOP FILL , 120 Volts 50/60 Hz, 12.5 AMPS. 2 stage, 7.2" High performance with long life span (air seal bearing)
	214230B	Powerhead model BL-30 TF (No Hepa), TOP FILL , 240 Volts 50/60 Hz, 6 AMPS. 2 stage, 183mm High performance with long life span (air seal bearing)
	214232B	Powerhead model BL-55 TF (No Hepa), TOP FILL , 240 Volts 50/60 Hz, 6 AMPS. 2 stage, 183mm High performance with long life span (air seal bearing) (Wet & dry recovery)

Tiger-Vac®





**CUSTOM BUILT INDUSTRIAL GRADE VACUUM CLEANER SYSTEMS
PNEUMATIC OPERATED POWERHEADS
AVAILABLE HEPA FILTER EFFICIENCY OF 99.99% @ 0.3 MICRON
(WET & DRY RECOVERY)**

MODEL	PART#	DESCRIPTION
 <p data-bbox="110 575 326 617">TF-30/55(S) SINGLE VENTURI (WET & DRY)</p>	<p data-bbox="386 373 472 401">110298</p> <p data-bbox="386 447 472 474">110291</p>	<p data-bbox="505 373 1365 432">Vacuum generating powerhead model TF-30(S) Single Venturi-TOP FILL, no Hepa, wet & dry recovery</p> <p data-bbox="505 447 1365 506">Vacuum generating powerhead model TF-55(S) Single Venturi-TOP FILL, no Hepa, wet & dry recovery</p>
 <p data-bbox="120 905 318 947">TF-30/55(T) TWIN VENTURI (WET & DRY)</p>	<p data-bbox="386 663 472 690">110300</p> <p data-bbox="386 737 472 764">110292</p>	<p data-bbox="505 663 1346 722">Vacuum generating powerhead model TF-30(T) Twin Venturi-TOP FILL, no Hepa, wet & dry recovery</p> <p data-bbox="505 737 1346 795">Vacuum generating powerhead model TF-55(T) Twin Venturi-TOP FILL, no Hepa, wet & dry recovery</p>
 <p data-bbox="152 1255 266 1297">TF-55 (S) HEPA (WET & DRY)</p>	<p data-bbox="386 997 472 1024">110288</p>	<p data-bbox="505 997 1325 1056">Vacuum generating powerhead model TF-55(S) HEPA, Single Venturi-TOP FILL, wet & dry recovery</p>
 <p data-bbox="155 1581 272 1623">TF-55 (T) HEPA (WET & DRY)</p>	<p data-bbox="386 1350 472 1377">110681</p>	<p data-bbox="505 1350 1305 1409">Vacuum generating powerhead model TF-55(T) HEPA, Twin Venturi-TOP FILL, wet & dry recovery</p>
 <p data-bbox="48 1812 185 1854">CS-12/27 NO HEPA (WET & DRY)</p> <p data-bbox="211 1934 324 1976">CS-12/27 HEPA (WET & DRY)</p>	<p data-bbox="386 1675 472 1703">211999B</p> <p data-bbox="386 1766 472 1793">211999</p>	<p data-bbox="505 1675 1357 1734">Vacuum generating powerhead model CS-12/27 no HEPA Single Venturi, wet & dry recovery</p> <p data-bbox="505 1766 1321 1824">Vacuum generating powerhead model CS-12/27 HEPA Single Venturi, wet & dry recovery</p>


**FILTER ASSEMBLIES FOR CUSTOM BUILT
INDUSTRIAL GRADE VACUUM CLEANER SYSTEMS
AVAILABLE HEPA FILTER EFFICIENCY OF 99.99% @ 0.3 MICRON
(WET & DRY RECOVERY)**


MODEL	PART#	DESCRIPTION
	212490	Wire cage for model ECO-55
	214147B	Wire cage for models TF-30/55 Single & Twin venturi, 2D-55 TF STD HEPA and 4D-56/57 TF STD/RE
	211020A	Main filter assembly, polyester, with laces for filter cage for model ECO-55
	211020	Main filter assembly, no laces
	212003	Main filter assembly for 12/27 gallons
	211311A	Polyester safety filter with clamp for models TF-30/55 Single & Twin Venturi
	211480	Polyester filter with clamp for models TF-55 Hepa Single & Twin Venturi, and 2D-55 TF STD/HEPA
	212389	Polyester filter with clamp for models 4D-56/57 TF STD/HEPA
	211017	Liquid filter assembly for model ECO-55
	212005	Liquid filter assembly for 12/27 gallons
	211021	Dralon pre- filter assembly for model ECO-55
	212057	Dralon pre- filter assembly for 12/27 gallons
	213182	Hepa filter efficiency 99.99% @ 0.3 micron for model ECO-55
	211027B	Hepa filter efficiency 99.99% @ 0.3 micron
	212202	Hepa filter efficiency 99.99% @ 0.3 micron for model 4D-56(B) TF (#110950A)


DRUM AND CART ASSEMBLIES FOR CUSTOM BUILT INDUSTRIAL GRADE VACUUM CLEANER SYSTEMS (WET & DRY RECOVERY)


MODEL	PART#	DESCRIPTION
	211940B	Middle ring for 30 gallons (120 litres), powder coated
	211942B	Middle ring for 55 gallons (120 litres), powder coated
	211945	Middle ring assembly for 55 gallons (200 litres), no suction intake, powder coated
	211553	Drum assembly 12 gallons (48 litres), with Ø1.5" (Ø38mm) camlock intake, powder coated
	212939	Drum assembly 27 gallons (108 litres), with Ø2" (Ø50mm) camlock intake, powder coated
	211367	Drum only 30 gallons (120 litres), powder coated
	211404	Drum assembly 30 gallons (120 litres), with Ø2" (Ø50mm) screw type intake and cap, powder coated
	211335 213066	Drum only 55 gallons (200 litres), powder coated Drum assembly 55 gallons (200 litres) with latches, Ø2" (Ø50mm) camlock intake, powder coated
	211368B	Band with handles for 30 gallon (120 litres) drum, powder coated
	213064B	Band with handles for 55 gallon (200 litres) drum, powder coated
	211956	4 wheel cart assembly for 30 gallon drum, powder coated
	212423	4 wheel cart assembly for 55 gallon drum, powder coated
	211914	4 wheel cart assembly for 12/27 gallon drum, powder coated


**SUCTION HOSE ASSEMBLIES FOR CUSTOM BUILT
INDUSTRIAL GRADE VACUUM CLEANER SYSTEMS
(WET & DRY RECOVERY)**

MODEL	PART#	DESCRIPTION
	FOR CS-12/27 STD/HEPA	
	381199	Hose cuff PVC Ø1.5" (Ø38mm) grey for Crushproof hose (2)
	381141	Hose only PVC Crushproof Ø1.5" X 10' (Ø38mm x 3m) /m
	381229	Camlock Part C, female adaptor, Ø1.5" (Ø38mm), aluminum

	381137D	Crushproof hose assembly Ø1.50" x 10' (Ø38mm x 3m) for Ø1.5" (Ø38mm) camlock intake
	FOR ECO-55, TF-55 (T) HEPA, 2D-55 TF STD/HEPA & 4D-56/57TF STD/HEPA	
	500137	Hose cuff PVC Ø2" (Ø50mm) grey for Crushproof hose (2)
	500140	Hose only PVC Crushproof Ø2" (Ø50mm) /m
	500163	Camlock female part C Ø2" (Ø50mm) aluminum with Ø2" (Ø50mm) hose shank


	500131	Crushproof hose assembly Ø2" x 15' (Ø50mm x 4.5m) for Ø2" (Ø50mm) camlock intake
	FOR TF-30/55 SINGLE & TWIN VENTURI	
	381199	Hose cuff PVC Ø1.5" (Ø38mm) grey for Crushproof hose
	381141	Hose only PVC Crushproof Ø1.5" (Ø38mm) /m
	381202	Hose cuff expander PVC, Ø1.5" (Ø38mm) hose to Ø2" (Ø50mm) tube, grey, for Crushproof hose

	381136B	Crushproof hose assembly Ø1.5" x 15' (Ø38mm x 4.5m) for Ø2" (Ø50mm) hose barb
	FOR TF-30/55 SINGLE & TWIN VENTURI	
	500137	Hose cuff PVC Ø2" (Ø50mm) grey for Crushproof hose (2)
	500140	Hose only PVC Crushproof Ø2" (Ø50mm) /m

	500134	Crushproof hose assembly Ø2" x 15' (Ø50mm x 4.5m) for Ø2" (Ø50mm) hose barb
	FOR TF-55 (S) HEPA	
	381199	Hose cuff PVC Ø1.5" (Ø38mm) grey for Crushproof hose
	381141	Hose only PVC Crushproof Ø1.5" (Ø38mm) /m
	381202	Hose cuff expander PVC, Ø1.5" (Ø38mm) hose to Ø2" (Ø50mm) tube, grey, for Crushproof hose
	500163	Camlock female part C Ø2" (Ø50mm) aluminum with Ø2" (Ø50mm) hose shank

	381138G	Crushproof hose assembly Ø1.5" x 15' (Ø38mm x 4.5m) for Ø2" (Ø50mm) camlock intake


AIR SUPPLY HOSES ASSEMBLIES FOR CUSTOM BUILT INDUSTRIAL GRADE VACUUM CLEANER SYSTEMS



ITEM	PART#	DESCRIPTION
1	212664	UNIVERSAL HOSE COUPLING QUICK (CHICAGO/KING TYPE) WITH 1/2" FEMALE NPT
2	211788	FITTING FOR STANDARD TYPE AIR HOSE, Ø.5" (Ø12.7mm) MALE NPT THREAD x Ø.5" (Ø12.7mm) HOSE BARB, BRASS
3	213802	FERRULE FOR STANDARD 0.5" (12.7mm) AIR SUPPLY HOSE (FERRULE ID 0.875") BRASS
4	211785	AIR SUPPLY HOSE ONLY, STANDARD TYPE (RED), Ø0.5" (12.7mm) /m

#211789B AIR SUPPLY HOSE ASSEMBLY, STANDARD TYPE, Ø0.5" x 25', WITH CHICAGO TYPE FITTING ON BOTH ENDS


#211790B AIR SUPPLY HOSE ASSEMBLY, STANDARD TYPE, Ø0.5" x 50', WITH CHICAGO TYPE FITTING ON BOTH ENDS



ITEM	PART#	DESCRIPTION
1	214338	UNIVERSAL HOSE COUPLING QUICK (CHICAGO/KING TYPE) WITH 3/4" (19mm) FEMALE NPT THREAD
2	214660	FITTING FOR STANDARD TYPE AIR HOSE, Ø.75" (Ø19mm) MALE NPT THREAD x Ø.75" (Ø19mm) HOSE BARB, BRASS
3	214662	FERRULE FOR STANDARD 0.75" (19mm) AIR SUPPLY HOSE (FERRULE ID 1.150"), BRASS
4	211785B	AIR SUPPLY HOSE ONLY, STANDARD TYPE (RED), Ø0.75" (19mm) /m

#214671B AIR SUPPLY HOSE ASSEMBLY, STANDARD TYPE, Ø0.75" x 25', WITH CHICAGO TYPE FITTING ON BOTH ENDS

#214672B AIR SUPPLY HOSE ASSEMBLY, STANDARD TYPE, Ø0.75" x 50', WITH CHICAGO TYPE FITTING ON BOTH ENDS
















ITEM	PART#	DESCRIPTION
1	214339	UNIVERSAL HOSE COUPLING QUICK (CHICAGO/KING TYPE) WITH 1" (25.4mm) FEMALE NPT THREAD
2	213971	FITTING FOR STANDARD TYPE AIR HOSE, Ø1" (Ø25.4mm) MALE NPT THREAD x Ø1" (Ø25.4mm) HOSE BARB, BRASS
3	214664	FERRULE FOR STANDARD 1" (25.4mm) AIR SUPPLY HOSE (FERRULE ID 1.375"), BRASS
4	211785C	AIR SUPPLY HOSE ONLY, STANDARD TYPE (RED), Ø1" (25.4mm) /m

#214675B AIR SUPPLY HOSE ASSEMBLY, STANDARD TYPE, Ø1" x 25', WITH CHICAGO TYPE FITTING ON BOTH ENDS

#214676B AIR SUPPLY HOSE ASSEMBLY, STANDARD TYPE, Ø1" x 50', WITH CHICAGO TYPE FITTING ON BOTH ENDS

Tiger-Vac®

TOOLS & ACCESSORIES FOR CUSTOM BUILT INDUSTRIAL GRADE VACUUM CLEANER SYSTEMS

Ø1.5" (Ø38mm) ACCESSORIES		
	PART#	DESCRIPTION
1) 	381477	DOUBLE BEND WAND (2 PC) CHROME
2) 	381485	FLOOR TOOL w/BRUSHES 16" (40mm)
3) 	381490	FLOOR TOOL w/SQUEEGEE 16" (40mm)
4) 	381480	CREVICE TOOL 10" (40mm)
5) 	381482	DUSTING BRUSH 3" (40mm)
6) 	381228	TIGER CLAW TOOL, Ø1.5" (Ø38mm), PVC
7) 	381168	PIPE CLEANING TOOL ASSEMBLY FOR 1" TO 4" (25.4mm TO 100mm) PIPES, Ø1.5" (Ø38mm), PVC
8) 	381169	PIPE CLEANING TOOL ASSEMBLY FOR 4" TO 8" (100mm TO 203mm) PIPES, Ø1.5" (Ø38mm), PVC
Ø2" (Ø50mm) ACCESSORIES		
9) 	500218	WAND, 2" (50mm), CHROME, NO COUPLING
10) 	500220	FLOOR TOOL w/SQUEEGEE, 2" (50mm), WITH BLACK PLASTIC NECK
11) 	500222	ADAPTOR, BLACK PLASTIC, FOR USE WITH CREVICE TOOL / DUSTING BRUSH
12) 	500224	CREVICE TOOL, BLACK PLASTIC
13) 	500226	DUSTING BRUSH, BLACK PLASTIC