


OPTIONAL HOSE ASSEMBLIES




1	381427	Clear Urethane Suction Hose, SD*, with stainless steel female camlock and stainless steel female screw type. $\phi 1.5'' \times 12.5'$. For model CD-1500 series
2	381427B	Clear Urethane Suction Hose Assembly, SD*, with $\phi 1.5''$ stainless steel female screw type connector for $\phi 1.5''$ accessories and stainless steel female camlock for $\phi 2''$ intake. $\phi 1.5'' \times 12.5'$. For models CD-2600 CR, CD-3000 series
3	381430	Clear Urethane Suction Hose Assembly, SD*, with $\phi 1.5''$ female camlock and female screw type. $\phi 1.5'' \times 12.5'$. For models 2D-11 DT MRP, 2D-14 (4W), BL-20 (DT) MFS, CS-11 (DT) MRP, CS-14 (4W) and CS-27 (TC)
4	381430B	Clear Urethane Suction Hose Assembly, SD*, for $\phi 2''$ camlock intake. $\phi 1.5'' \times 12.5'$. For models 4D-14 (4W) and 4D-27 (TC)
5	381432	Clear Urethane Suction Hose Assembly, SD*, for $\phi 1.5''$ camlock intake. $\phi 1.5'' \times 25'$
6	381432B	Clear Urethane Suction Hose Assembly, SD*, for $\phi 2''$ camlock intake. $\phi 1.5'' \times 25'$
7	500395	Clear Urethane Suction Hose Assembly, SD*, for $\phi 2''$ camlock intake. $\phi 2'' \times 12.5'$
8	500395B	Clear Urethane Suction Hose Assembly, SD*, with $\phi 2''$ female camlock and $\phi 2''$ hose cuff. $\phi 2'' \times 12.5'$. For models CD-5000 series and 4D-11 (DT) MRP
9	500397	Clear Urethane Suction Hose Assembly, SD*, for $\phi 2''$ camlock intake. $\phi 2'' \times 25'$
10	381137A	Crushproof Suction Hose with regular hose cuff. $\phi 1.5'' \times 10'$. For models 2D-15 Hospital, 2D-15 (TC), 2D-16 (TC), 2D-25 (TC), CS-15 (TC) RE and CS-25 (TC) RE
11	381137B	Crushproof Suction Hose with swivel hose cuff. $\phi 1.5'' \times 10'$. For models B-4 DS, B-7 DS, B-8, CS-4 RE, CS-7 RE and CS-8 RE
12	381137D	Crushproof Suction Hose Assembly. $\phi 1.5'' \times 10'$. For model AV-20 DT (MFS) HEPA
13	381137G	PVC Crushproof Hose Assembly for $\phi 2''$ camlock intake. $\phi 1.5'' \times 10'$. For model 2D-20 (DT) & AV-20 (DT)
14	381138G	Crushproof Suction Hose with regular hose cuff. $\phi 1.5'' \times 15'$. For model CS-55 Single Venturi
15	381475	Crushproof Suction Hose Assembly. 8'. For models AS-400 and AS-400 MR
16	383440	Crushproof Suction Hose Assembly, static conductive. For general purposes. Not recommended for conductive dusts. $\phi 1.5'' \times 10'$. For model AVSD-20 DT (MFS) HEPA
17	383440B	Crushproof Suction Hose Assembly (no wire), static conductive, for $\phi 2''$ camlock intake. $\phi 1.5'' \times 10'$. For model AVSD-35 (STD)
18	500131	Crushproof Suction Hose for use with $\phi 2''$ camlock intake. $\phi 2'' \times 15'$. For models 4D-25 (TC), 4D-57 (TC), ECO-55 (4W), CS-55 Twin Venturi and 2D/CS-22 MR NUC HEPA
19	381140CB	Crushproof Suction Hose Assembly. $\phi 1.5'' \times 20'$. For models CS-30 (CB) and CS-55 (CB)
20	323471	Foodgrade Suction Hose. Made of crystal clear PVC with stainless steel ends. Smooth interior and exterior allows for easy decontamination. Complies with FDA requirements (CFR Title 21 parts 170-199) and USDA chemically acceptable for food grade applications. $\phi 1.25'' \times 15'$. For model 2D-15 Decom SS
21	381390B	Foodgrade Suction Hose Assembly with $\phi 1.5''$ stainless steel female screw type connector for $\phi 1.5''$ accessories and stainless steel female camlock for $\phi 2''$ suction intake. Made of crystal clear PVC with smooth interior and exterior. Meets FDA requirements. $\phi 1.5'' \times 10'$. For model CS-3000 series.
22	381387	Vinylife Connection/Suction Hose with $\phi 1.5''$ female camlock on one end. To connect vacuum cleaner to processing equipment. $\phi 1.5'' \times 6'$. For models CD-1500 series, CD-2600 CR and CD-3000 series
23	500381	Vinylife Connection/Suction Hose with $\phi 2''$ female camlock on one end. To connect vacuum cleaner to processing equipment. $\phi 2'' \times 6'$. For models CD-2600 CR and CD-5000 series
24	323303	PVC Suction Hose with straight connector. Assembled with stainless steel ends. $\phi 1.25'' \times 10'$. For Model B-4 DS Static Free
25	323540	PVC Suction Hose Assembly with straight handle and camlock. Stainless steel. $\phi 1.25'' \times 10'$. For model CD-1500 series
26	381093	PVC Drain Hose. $\phi 0.75'' \times 5'$
27	323500	Suction Hose. 8'. For model AS-5
28	381560	Suction Hose. $\phi 1.5'' \times 8'$. For model AV-35 (STD)
29	381560B	Econo Suction Hose Assembly. For use with $\phi 2''$ camlock inlet. $\phi 1.5'' \times 8'$

SD* - Static Dissipating

S/S - Stainless Steel AISI 304**

OPTIONAL AIR SUPPLY HOSE ASSEMBLIES



1	211029C	Air Supply Hose, SD*, with Chicago/King fittings on one end and $\varnothing 0.5$ " male NPT on other end. $\varnothing 0.5$ " x 25'. For models AVSD-20 DT (MFS) HEPA and AVSD-35 (STD)	
2	211030	Air Supply Hose with quick disconnect fittings for single venturi. SD*. $\varnothing 0.5$ " x 50'. For models CS-11 (DT) MRP, CS-14 (4W) and CS-27 (TC)	
3	211786	Air Supply Hose Assembly with male and female brass quick disconnects. $\varnothing 0.5$ " x 25'	
4	211786C	Air Supply Hose with Chicago/King fitting on one end and $\varnothing 0.5$ " male NPT on other end. $\varnothing 0.5$ " x 25'. For models AV-20 DT (MFS) HEPA and AV-35 (STD)	
5	211787	Air Supply Hose Assembly with female quick disconnect. $\varnothing 0.5$ " x 50'. For models CD-10000 STD series and CD-15000 STD series	
6	211030B	Air Supply Hose Assembly, SD*, with male NPT brass on both ends. $\varnothing 0.5$ " x 50'	
		Air Supply Hose with "Air King" fittings. $\varnothing 0.75$ " x 20'. For Models CS-30 (CB) and CS-55 (CB)	
7	211032	Air Supply Hose Assembly, SD*, with male and female quick disconnects. $\varnothing 1$ " x 50'	
8	211032A	Air Supply Hose Assembly with $\varnothing 1$ " male NPT brass on both ends. $\varnothing 1$ " x 50'	
9	213983	Air Supply Hose Assembly with male and female brass quick disconnects. $\varnothing 1$ " x 50'	
10	213984A	Air Supply Hose Assembly with $\varnothing 1$ " male NPT fittings on each end. $\varnothing 1$ " x 29".	
11	213984B	Air Supply Hose Assembly with $\varnothing 1$ " male NPT fittings on each end. $\varnothing 1$ " x 42"	


OPTIONAL HOSE ONLY (Sold by the foot in 5 foot increments)

1	250010	Crushproof Suction Hose, SC*** (no wire), $\varnothing 1$ ", black	
	323430	Crushproof Suction Hose, SC*** (no wire), $\varnothing 1.25$ ", black	
	383438	Crushproof Suction Hose, SC*** (no wire), $\varnothing 1.5$ " black	
	500538	Crushproof Suction Hose, SC*** (no wire), $\varnothing 2$ ", black	
2	323340A	Crushproof Suction Hose, $\varnothing 1.25$ ", beige	
	323340	Crushproof Suction Hose, $\varnothing 1.25$ ", grey	
	381141	Crushproof Suction Hose, $\varnothing 1.5$ "	
	500140	Crushproof Suction Hose, $\varnothing 2$ "	
3	323440	Clear Urethane Suction Hose, SD*, $\varnothing 1.25$ "	
	381425	Clear Urethane Suction Hose, SD*, $\varnothing 1.5$ "	
	500390	Clear Urethane Suction Hose, SD*, $\varnothing 2$ "	
	635078	Clear Urethane Suction Hose, SD*, $\varnothing 2.5$ "	
	990010	Clear Urethane Suction Hose, SD*, $\varnothing 4$ "	
4	381388	Foodgrade Suction Hose, $\varnothing 1.5$ "	
5	211785	Air Supply Hose, $\varnothing 0.5$ ", red	
	211785C	Air Supply Hose, $\varnothing 1$ ", red	

SD* - Static Dissipating

S/S** - Stainless Steel AISI 304

OPTIONAL HOSE ACCESSORIES



1	381097	Camlock Part C, female connector with hose shank, $\varnothing 0.75"$. Aluminum	
	213160	Camlock Part C, female adaptor with hose shank, $\varnothing 1"$. Aluminum	
	381229	Camlock Part C, female adaptor, $\varnothing 1.5"$. Aluminum	
	381233	Camlock Special Part C, $\varnothing 1.5"$ female adaptor with $\varnothing 0.75"$ hose shank. Aluminum	
	381233B	Camlock Special Part C, $\varnothing 1.5"$ female adaptor with $\varnothing 1"$ hose shank. Aluminum	
	500163	Camlock Part C, $\varnothing 2"$, female with $\varnothing 2"$ hose shank. Aluminum	
	500175	Camlock Special Part C, $\varnothing 2"$ female adaptor to $\varnothing 1.5"$ hose shank. Aluminum	
	500338	Camlock Special Part C, $\varnothing 2.5"$ female camlock DC modified to $\varnothing 2"$ tube hose shank. Aluminum	
	635009	Camlock Special Part C, $\varnothing 2.5"$ adaptor with $\varnothing 2"$ hose shank. Aluminum	
	635010	Camlock Part C, female adaptor with hose shank, $\varnothing 2.5"$. Aluminum	
	760020	Camlock Part C, $\varnothing 3"$. Aluminum	
	212457	Camlock Part C, female adaptor with hose shank, $\varnothing 4"$. Aluminum	
	990101	Camlock Special Part C, $\varnothing 4"$ female coupler with $\varnothing 2"$ hose barb. Aluminum	
2	381230	Camlock Part DC (Dust Cap), $\varnothing 1.5"$. Aluminum	
	211114	Camlock Part DC (Dust Cap), latched, $\varnothing 2"$. Aluminum	
	635008	Camlock Part DC (Dust Cap), $\varnothing 2.5"$. Aluminum	
	212455	Camlock Part DC (Dust Cap), $\varnothing 4"$. Aluminum	
3	213162	Camlock Part E (for extensions), male adaptor with hose shank, $\varnothing 1"$. Aluminum	
	381326	Camlock Part E (for extensions), $\varnothing 1.5"$. Aluminum	
	500343	Camlock Part E (for extensions), $\varnothing 2"$ male camlock with $\varnothing 2"$ hose shank. Aluminum	
4	250012	Hose Cuff, static conductive. $\varnothing 1"$. Black	
5	250014	Expander Hose Cuff, static conductive. $\varnothing 1"$ to $\varnothing 1.5"$. Black	
6	323324A	Hose Cuff. $\varnothing 1.25"$. Grey PVC	
7	323324B	Hose Cuff. $\varnothing 1.25"$. Beige	
8	323325A	Hose Cuff Expander. $\varnothing 1.25"$ to $\varnothing 1.5"$. Grey	
9	323325B	Hose Cuff Expander. $\varnothing 1.25"$ to $\varnothing 1.5"$. Beige	
10	323432	Hose Cuff, static conductive. $\varnothing 1.25"$. Black	
11	323434	Expander Hose Cuff, static conductive. $\varnothing 1.25"$ to $\varnothing 1.5"$. Black	
12	383435	Expander Hose Cuff, static conductive. $\varnothing 1.5"$ to $\varnothing 2"$. Black	
13	383436	Hose Cuff, static conductive. $\varnothing 1.5"$. Black	
14	383437	Swivel Hose Cuff, static conductive. $\varnothing 1.5"$. Black	
15	500166	Hose Cuff Reducer. $\varnothing 2"$ to $\varnothing 1.5"$. Grey	
16	500536	Hose Cuff, static conductive. $\varnothing 2"$. Black	
17	211033B	Female Quick Disconnect with $\varnothing 0.5"$ female thread. $\varnothing 0.5"$. Brass	
18	211034B	Female Quick Disconnect with $\varnothing 1"$ female thread. $\varnothing 1"$. Brass	
19	211033A	Male Quick Disconnect with $\varnothing 0.5"$ female thread. $\varnothing 0.5"$. Brass	
20	211034	Male Quick Disconnect with $\varnothing 1"$ female thread. $\varnothing 1"$. Brass	
21	211788	Adaptor with hose barb and male threads. $\varnothing 0.5"$. Brass	
22	213971	Fitting. $\varnothing 1"$ NPT x $\varnothing 1"$ hose barb. Brass	
23	211095C	Hex Nipple. $\varnothing 0.5"$ NPT. Brass.	

SD* - Static Dissipating

S/S - Stainless Steel AISI 304**