


OPTIONAL HOSE ASSEMBLIES




1	381400	Kanaflex suction hose assembly, SD*, $\varnothing 1.5"$ x 10' for $\varnothing 1.5"$ camlock intake, aluminum. For 15 and 25 gallon models	
2	500306	Kanaflex suction hose assembly, SD*, $\varnothing 2"$ x 15' with $\varnothing 2"$ suction intake. For 55 gallon models	
3	381401C	Kanaflex suction hose assembly, SD*, with wire, $\varnothing 1.5"$ x 15'	
4	381406	Kanaflex suction hose assembly, SD*, $\varnothing 1.5"$ x 15'. For 55 gallon models with $\varnothing 2"$ suction intake	
5	381396B	Kanaflex connection hose, SD*, $\varnothing 1.5"$ x 3' with $\varnothing 2"$ female camlock and $\varnothing 1.5"$ female camlock for IT-25 (4W), aluminum	
6	500306B	Kanaflex suction hose assembly, SD*, with wire, $\varnothing 2"$ x 15 with $\varnothing 2"$ female camlock intake on one end. Aluminum	
7	500306C	Kanaflex suction hose assembly, SD*, with wire, $\varnothing 2"$ x 15'	
8	381100	Nitrile suction hose assembly, SD*, $\varnothing 0.75"$ x 25' for 15 and 25 gallon models	
9	500126	Nitrile suction hose assembly, SD*, $\varnothing 0.75"$ x 25' for 55 gallon models	
10	381050	Nitrile suction hose, SD*, $\varnothing 1.5"$ x 10' for $\varnothing 1.5"$ camlock intake. Aluminum. For tools & accessories	
11	500117A	Nitrile connection hose, SD*, $\varnothing 2"$ x 5' with $\varnothing 2"$ aluminum female camlock and $\varnothing 2"$ aluminum male screw type for AC-25	
12	323455	EPDM suction hose, SD*, autoclavable, with smooth interior and exterior, $\varnothing 1.25"$ x 10', with S/S** ends.	
13	381385B	EPDM suction hose, SD*, autoclavable, with smooth interior and exterior, $\varnothing 1.5"$ x 10', with S/S** female screw type connector for $\varnothing 1.5"$ accessories and S/S** female camlock for $\varnothing 2"$ suction intake	
14	381385	EPDM suction hose, SD*, autoclavable, with smooth interior and exterior, $\varnothing 1.5"$ x 10', with S/S** female camlock on one end and S/S** female screw type on the other	
15	211815	EPDM drain hose assembly, SD*, autoclavable, with smooth interior and exterior, $\varnothing 0.75"$ x 5', with S/S** camlock	
16	500367	EPDM connection hose, SD*, autoclavable, with smooth interior and exterior, $\varnothing 2"$ x 5', with S/S** female $\varnothing 1.5"$ and $\varnothing 2"$ camlock for HRS-25 (4W)	
17	381387	Vinylife connection/suction hose assembly, SD*, $\varnothing 1.5"$ x 6' with $\varnothing 1.5"$ S/S** female camlock on one end	
18	500381	Vinylife connection/suction hose assembly, SD*, $\varnothing 2"$ x 6' with $\varnothing 2"$ S/S** female camlock on one end	
19	383441B	Crushproof suction hose assembly, SC*** (no wire), $\varnothing 1.5"$ x 10' with $\varnothing 2"$ camlock intake. Aluminum	
20	383441C	Crushproof suction hose assembly, SC*** (no wire), $\varnothing 1.5"$ x 15'	
21	500540	Crushproof suction hose assembly, SC*** (no wire), $\varnothing 2"$ x 15' with $\varnothing 2"$ female camlock intake. Aluminum	
22	500540C	Crushproof suction hose assembly, SC*** (no wire), $\varnothing 2"$ x 15'	

SD* - Static Dissipating

S/S** - Stainless Steel AISI 304

SC*** - Static Conductive

OPTIONAL AIR SUPPLY HOSE ASSEMBLIES



1	214712	Air supply hose assembly, SD*, $\varnothing 0.375"$ x 50' with $\varnothing 0.25"$ male quick disconnect and $\varnothing 0.25"$ female quick disconnect for AFS and APS models	
2	211030	Air supply hose assembly, SD*, $\varnothing 0.25"$ x 50' with quick disconnect fittings for single venturi models	
3	211832	Air supply hose assembly, SD*, 25' with smooth cover. Includes $\varnothing 0.5"$ quick disconnect fittings	
4	214139	Air supply hose assembly, SD*, $\varnothing 0.75"$ x 25' with 1 male quick disconnect and 1 female quick disconnect for SS-15/40 EX models	
5	211032	Air supply hose, SD*, $\varnothing 1"$ x 50' with quick disconnect fittings for twin venturi models	
6	211030B	Air supply hose only, SD*, with $\varnothing 0.5"$ male NPT brass on both ends. $\varnothing 0.5"$ x 50'	
7	211032A	Air supply hose only, SD*, with $\varnothing 1"$ male NPT brass on both ends. $\varnothing 1"$ x 50'	

OPTIONAL HOSE ONLY (Sold by the foot in 5 foot increments)


1	250010 323430 383438 500538	Crushproof suction hose, SC*** (no wire), $\varnothing 1"$, black Crushproof suction hose, SC*** (no wire), $\varnothing 1.25"$, black Crushproof suction hose, SC*** (no wire), $\varnothing 1.5"$ black Crushproof suction hose, SC*** (no wire), $\varnothing 2"$, black	
2	381388	Foodgrade suction hose, $\varnothing 1.5"$	
3	381398 500300	Kanaflex suction hose, with wire, SD*, $\varnothing 1.5"$ Kanaflex suction hose, with wire, SD*, $\varnothing 2"$	
4	381099 381105 381114 500114 381219A	Nitrile suction hose, SD*, $\varnothing 0.75"$ Nitrile suction hose, SD*, $\varnothing 1"$ Nitrile suction hose, SD*, $\varnothing 1.5"$ Nitrile suction hose, SD*, $\varnothing 2"$ Nitrile extension hose, SD*, $\varnothing 0.5"$ ID	
5	323450 381383 500360 211813A	EPDM suction hose, SD*, $\varnothing 1.25"$ EPDM suction hose, SD*, $\varnothing 1.5"$ EPDM suction hose, SD*, $\varnothing 2"$ EPDM drain/discharge hose, SD*, $\varnothing 0.75"$	
6	323440 381425 500390 635078 990010	Clear Urethane suction hose, SD*, $\varnothing 1.25"$ Clear Urethane suction hose, SD*, $\varnothing 1.5"$ Clear Urethane suction hose, SD*, $\varnothing 2"$ Clear Urethane suction hose, SD*, $\varnothing 2.5"$ Clear Urethane suction hose, SD*, $\varnothing 4"$	
7	323425 381335 500380 635120	Vinylife suction hose, SD*, $\varnothing 1.25"$ Vinylife suction hose, SD*, $\varnothing 1.5"$ Vinylife suction hose, SD*, $\varnothing 2"$ Vinylife suction hose, SD*, $\varnothing 2.5"$	

SD* - Static Dissipating

S/S** - Stainless Steel AISI 304

SC*** - Static Conductive

OPTIONAL HOSE ACCESSORIES




1	381096 381368 381247 500340 500176 635011 635212 990064 990065	Camlock Part C, female, $\phi 0.75$ ". S/S** Camlock Part C, female adaptor, $\phi 1.5$ ". S/S** Camlock Special Part C, $\phi 1.5$ " to $\phi 1.25$ " female adaptor with swivel. S/S** Camlock Part C, $\phi 2$ ". S/S** Camlock Special Part C, $\phi 2$ " adaptor to $\phi 1.5$ " female hose shank. S/S** Camlock Part C, female adaptor with hose shank, $\phi 2.5$ ". S/S** Camlock Special Part C, $\phi 2.5$ " female adaptor with $\phi 2$ " hose shank. S/S** Camlock Part C, female adaptor with hose shank, $\phi 4$ ". S/S** Camlock Special Part C, $\phi 4$ " female coupler with $\phi 2.5$ " hose shank. S/S**	
2	381097 213160 381229 381233 381233B 500163 500175 500338 635009 635010 760020 212457 990101	Camlock Part C, female connector with hose shank, $\phi 0.75$ ". Aluminum Camlock Part C, female adaptor with hose shank, $\phi 1$ ". Aluminum Camlock Part C, female adaptor, $\phi 1.5$ ". Aluminum Camlock Special Part C, $\phi 1.5$ " female adaptor with $\phi 0.75$ " hose shank. Aluminum Camlock Special Part C, $\phi 1.5$ " female adaptor with $\phi 1$ " hose shank. Aluminum Camlock Part C, $\phi 2$ ", female with $\phi 2$ " hose shank. Aluminum Camlock Special Part C, $\phi 2$ " female adaptor to $\phi 1.5$ " hose shank. Aluminum Camlock Special Part C, $\phi 2.5$ " female camlock DC modified to $\phi 2$ " tube hose shank. Aluminum Camlock Special Part C, $\phi 2.5$ " adaptor with $\phi 2$ " hose shank. Aluminum Camlock Part C, female adaptor with hose shank, $\phi 2.5$ ". Aluminum Camlock Part C, $\phi 3$ ". Aluminum Camlock Part C, female adaptor with hose shank, $\phi 4$ ". Aluminum Camlock Special Part C, $\phi 4$ " female coupler with $\phi 2$ " hose barb. Aluminum	
4	381090 500334 635211 990058	Camlock Part DC (Dust Cap), $\phi 1.5$ ". S/S** Camlock Part DC (Dust Cap), $\phi 2$ ". S/S** Camlock Part DC (Dust Cap), $\phi 2.5$ ". S/S** Camlock Part DC (Dust Cap), $\phi 4$ ". S/S**	
5	381230 211114 635008 212455	Camlock Part DC (Dust Cap), $\phi 1.5$ ". Aluminum Camlock Part DC (Dust Cap), latched, $\phi 2$ ". Aluminum Camlock Part DC (Dust Cap), $\phi 2.5$ ". Aluminum Camlock Part DC (Dust Cap), $\phi 4$ ". Aluminum	
6	381367 500342	Camlock Part E (for extensions), $\phi 1.5$ ". S/S** Camlock Part E (for extensions), $\phi 2$ " male camlock with $\phi 2$ " hose shank. S/S**	
7	213162 381326 500343	Camlock Part E (for extensions), male adaptor with hose shank, $\phi 1$ ". Aluminum Camlock Part E (for extensions), $\phi 1.5$ ". Aluminum Camlock Part E (for extensions), $\phi 2$ " male camlock with $\phi 2$ " hose shank. Aluminum	
8	635260B 635260A 990060A 990060B 990060C 635276 635278	Y Connector, $\phi 2.5$ " x $\phi 1.5$ " x $\phi 1.5$ ". S/S** Y Connector, $\phi 2.5$ " x $\phi 2$ " x $\phi 2$ ". S/S** Y Connector, $\phi 4$ " x $\phi 2.5$ " x $\phi 2.5$ ". S/S** Y Connector, $\phi 4$ " x $\phi 2$ " x $\phi 2$ ". S/S** Y Connector, $\phi 4$ " x $\phi 1.5$ " x $\phi 1.5$ ". S/S** Y connector, galvanized, $\phi 2$ " x $\phi 2$ " Y connector, galvanized, $\phi 2$ " x $\phi 1.5$ "	

SD* - Static Dissipating

S/S** - Stainless Steel AISI 304

SC*** - Static Conductive

OPTIONAL HOSE ACCESSORIES



9	990062	3 Way connector, $\varnothing 4"$ x $\varnothing 1.5"$ x $\varnothing 1.5"$ x $\varnothing 1.5"$. S/S**	
10	635262	3 Way pipe connector, $\varnothing 2.5"$ x $\varnothing 1.25"$ x $\varnothing 1.25"$ x $\varnothing 1.25"$. S/S**	
11	990063	4 Way pipe connector, $\varnothing 4"$ x $\varnothing 1.25"$ x $\varnothing 1.25"$ x $\varnothing 1.25"$ x $\varnothing 1.25"$. S/S**	
12	250012	Hose Cuff, SC***, $\varnothing 1"$. Black	
13	250014	Expander Hose Cuff, SC***, $\varnothing 1"$ to $\varnothing 1.5"$. Black	
14	323432	Hose Cuff, SC***, $\varnothing 1.25"$. Black	
15	323434	Hose Cuff, SC***, $\varnothing 1.25"$ to $\varnothing 1.5"$. Black	
16	383436	Hose Cuff, SC***, $\varnothing 1.5"$. Black	
17	383437	Swivel Hose Cuff, SC***, $\varnothing 1.5"$. Black	
18	383435	Expander Hose Cuff, SC***, $\varnothing 1.5"$ to $\varnothing 2"$. Black	
19	500536	Hose Cuff, SC***, $\varnothing 2"$. Black	
20	303126	Quick Disconnect, female, $\varnothing 0.25"$ with $\varnothing 0.25"$ female thread. Brass	
21	211033B	Quick Disconnect, female, $\varnothing 0.5"$ with $\varnothing 0.5"$ female thread. Brass	
22	211034B	Quick Disconnect, female, $\varnothing 1"$ with $\varnothing 1"$ female thread. Brass	
23	211033A	Quick Disconnect, male, $\varnothing 0.5"$ with $\varnothing 0.5"$ female thread. Brass	
24	211034	Quick Disconnect, male, $\varnothing 1"$ with $\varnothing 1"$ female thread. Brass	
25	303123	Nipple, Hex, $\varnothing 0.25"$. NPT brass	
26	211095C	Nipple, Hex, $\varnothing 0.5"$. NPT brass	
27	212940	Nipple, $\varnothing 0.75"$ NPT x 2" LG. S/S**	
28	211034A	Nipple, $\varnothing 1"$. Brass	
29	500159	Clamp, size 32, for hose end	
30	211685	Street Elbow, $\varnothing 0.75"$. S/S**	

SD* - Static Dissipating

S/S** - Stainless Steel AISI 304

SC*** - Static Conductive